



Le BL contenant une lettre avec quatre feuilles de toutes sortes d'oiseaux

I


Fuchalt 112 BL.









IV





































































































13










Nyctalestus flammeolus

















Columba hibernica fide Sander












17












pisu raudata






















Ardea



2












Ardea herodias


















24





pusillus

























































Cypida, nivalis
















40


pit - moulting














Pterodroma

















Luteola



















pusillus













Phalaropus lobatus















Lepid






colige rhodanense






















































H. b. p. jacob.




g. l. j. m.




g. l. j. m.





















































Flandr. Zeeſnipaar.



Flandr. Curoc




SCOENICLOS. Alouette de mer
 Bellon 4. 24. Flandr. Wynterslyncke
 quod hyeme tantummodo apparent
 Trochilo 3. per oia fere ſiſ in hoc
 differt quod ternis tantum inſiſtit
 digitiſ pedes illi exiles imo nigri quā
 Trochilo majores aliquato & ſubcinerici.
 anterior proſpectuſ uolūti par
 huic nonnihil repanda



Flandr. Somerslyncke. quod etiam
 per æſtatem apparent.
 Omnibus hiſ lingua nigricant, uti & Trochilo 3.












gallina rustica facin








gullinago






pluvialis mar


69.




pluvialis t. mar




























121





75

Castro


73









76 *Ulagia cirata*






peuco femina











115




Gallus rooster






17/16







17














Vireo







Meagallus






































figured upon each side of the head






pitrus harrisi








picus borealis albus




picus borealis niger












Trichophaga pinnata quondam *Trichophaga* in *pinnata*




Trichophaga pinnata














for illustration of the






hipurpa











Ficedula




Alcedo*Alcedo*





Onychia forquata

97




Prothonotaria




Prothonotaria






Fringilla mas*Fringilla femina**Fringilla palliata**Fringilla femina*












pusillus








Lusitana mas*Lusitana mas**Lusitana femina*




Lubaria gazio





passer albus.*passer albus.**passer albus.*



pavus



pavus



motacilla vulgaris




pavus vulgaris



pavus







112

W7.








113

Ph. line. la






Calocitta



*Alauda rustica**Alauda rustica*

107





subula pinnata



regulus




Fulv. 15

99





Fulv. 15











fin. 22




fin. 20






Melospiza flava





AAA








114
















Lau, C. de toutes
fortes d'oiseaux

Miniature.

Libr. pictur.
A. 17.